

HANDLING PROTECTION, GENERAL AND HEAVY DUTY WORK

## **TECHNICAL DATASHEET** MO152

Ref. MO152

|   |   | DR                               | DRY ENVIRONMENT  |          |        |  |
|---|---|----------------------------------|--|----------|--------|--|
| AA  |   |                                  | Strong red reinforced fabric cuff Long service life Artery protector |          |        |  |
|   | PURCHASE PACKAGING  |                                  |  |          |        |  |
|   |   | REF.                             | SIZES  |          |        |  |
|   |   | 152F<br>152H                     | 8<br>10  | 12<br>12 | 6<br>6 |  |
|   |   | 152_11                           | 10   | 12       | 6      |  |
| and the second se |   | 152_12                           | 12   | 12       | 6      |  |
| A MAN ANG A CON   |   |                                  |  |          |        |  |
| 112   |   |                                  | PACKAGIN   | IG       |        |  |
| 1 Pair / Ba   |   | g                                |  |          |        |  |
|   | A super   |                                  | <b>→</b>   |          |        |  |
|   |   | X1                               |  | X1       | 0      |  |
|   |   | See also                         |  |          |        |  |
|   |   |                                  | Variant  |          |        |  |
| DESCRIPTION   |   |                                  |  |          |        |  |
| Docker glove for handling protection, in grey cov<br>and strong canvas back and strong reinforced re  |   |                                  | 9  |          |        |  |
| life. Optimized protection thanks to the artery pro<br>Recommended in dry environment.  | tector. Ideal for heavy handling work.                                  | Break<br>Break<br>Break<br>MO155 |  |          |        |  |
| SECTORS   | APPLICATIONS EXAMPLES   |                                  |  |          |        |  |
| Mining  | - General and heavy material  |                                  |  |          |        |  |
| Second work   | handling, storage, cardboard and<br>box handling, heavy gardening work, |                                  |  |          |        |  |
| Infrastructure, building industry   | woodworking lumbering, carpentry, masonry.                              |                                  |  |          |        |  |

**Transport and logistics** 

COVERGUARD

Sizes 8 >> 12

17

60

60

60

60

# MO152

### TECHNICAL FEATURES

| Fabrics                                     | Docker glove in grey split<br>leather cowhide | Linning      | Cotton lined palm |
|---|---|--------------|-------------------|
| Complement cuff                             | Strong red reinforced fabric cuff             | Type Of Cuff | Safety Cuff       |
| Exterior Finish<br>Supplement information 2 | Smooth<br>Red canvas back                     | Construction | Cut and sewn      |

#### INSTRUCTIONS FOR USE AND STORAGE

#### Instructions for use :

- It is recommended to pre-test the gloves, as the actual conditions of use may differ from those of the "EC" tests. Performance levels are only guaranteed on the palm of the glove when new.

- Wear gloves on dry, clean hands.
- Do not use gloves in contact with a chemical product for longer than the measured permeation time. Refer to the website www.europrotection.com
- In use with a dangerous liquid, turn the cuff edge over to prevent drops from falling on the arm.

#### Storage instructions :

- Keep gloves away from light, moisture and sources of heat.

#### **Cleaning instructions :**

- The washing of the gloves varies according to the materials of the product. See the recommendations on the package leaflet.

#### LEGISLATION

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate. 2777/12282-01/E00-00. Delivered by SATRA (2777).

EN420:2003+A1:2009

- Protective gloves
- General requirements for gloves

EN388:2016



- Protective gloves against mechanical risks

Retailer stamp

UPDATE 03/23/2020