

# TECHNICAL DATASHEET

## MO2515

Ref. MO2515

Sizes ONE SIZE

### SPECIALTIES



WELDING

## The +

- Superior quality
- Comfort
- Artery protector
- Antistatic



PURCHASE PACKAGING

REF.	SIZES		
2515	10	12	60

PACKAGING

1 Pair / Bag



X1



X5

### DESCRIPTION

Material >> Full split cow leather  
Cuff >> Split, 15 cm  
Wing thumb

### SECTORS

Maintenance

Service

Energy

### APPLICATIONS EXAMPLES

- Welding work,
- Metallurgy

See also

Variant



MO2514

COVERGUARD

## TECHNICAL FEATURES

<b>Fabrics</b>	In split leather cowhide	<b>Supplement information</b>	Wing thumb
<b>Complement cuff</b>	Split leather cuff, length: 15 cm	<b>Type Of Cuff</b>	Safety Cuff
<b>Exterior Finish</b>	Smooth	<b>Construction</b>	Cut and sewn

## INSTRUCTIONS FOR USE AND STORAGE

**Instructions for use :**

- It is recommended to pre-test the gloves, as the actual conditions of use may differ from those of the "EC" tests. Performance levels are only guaranteed on the palm of the glove when new.
- Wear gloves on dry, clean hands.
- Do not use gloves in contact with a chemical product for longer than the measured permeation time. Refer to the website [www.europrotection.com](http://www.europrotection.com)
- In use with a dangerous liquid, turn the cuff edge over to prevent drops from falling on the arm.

**Storage instructions :**

- Keep gloves away from light, moisture and sources of heat.

**Cleaning instructions :**

- The washing of the gloves varies according to the materials of the product. See the recommendations on the package leaflet.

## LEGISLATION

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate. **2777/14111-01/E00-00**.  
Delivered by **SATRA (27777)**.

EN420:2003+A1:2009

- Protective gloves
- General requirements for gloves

EN388:2016



3.1.2.1.X

- Protective gloves against mechanical risks

EN407:2004



4.1.X.X.2.X

- Protective gloves against thermal risks (heat and/or fire)

Retailer stamp