

TECHNICAL DATASHEET

MO4380

Ref. MO4380

Sizes 8 >> 9

HANDLING PROTECTION, GENERAL AND HEAVY DUTY WORK



The +

- Anti-slip
- Thermal contact insulation
- Dexterity
- Long service life
- Comfort

PURCHASE PACKAGING

REF.	SIZES		
4380	8	12	120
4385	9	12	120

PACKAGING

1 Pair / Bag



X1



X10

DESCRIPTION

Material >> 100% grey knit Nylon
Gauge 13
Dots >> Blue PVC on palm side

SECTORS

Mining

Second work

Infrastructure, building industry

Transport and logistics

APPLICATIONS EXAMPLES

- Handling of slippery objects, precise work, warehouse and transport activities, handling of abrasive parts.

TECHNICAL FEATURES



Gauge 13

Supplement coating	PVC	Fabrics	Made of grey polyamide seamless knit
Supplement information	Palm with blue PVC dots	Type Of Cuff	Knit wrist
Exterior Finish	Dots	Construction	Seamless knitting

INSTRUCTIONS FOR USE AND STORAGE

Instructions for use :

- It is recommended to pre-test the gloves, as the actual conditions of use may differ from those of the "EC" tests. Performance levels are only guaranteed on the palm of the glove when new.
- Wear gloves on dry, clean hands.
- Do not use gloves in contact with a chemical product for longer than the measured permeation time. Refer to the website www.europrotection.com
- In use with a dangerous liquid, turn the cuff edge over to prevent drops from falling on the arm.

Storage instructions :

- Keep gloves away from light, moisture and sources of heat.

Cleaning instructions :

- The washing of the gloves varies according to the materials of the product. See the recommendations on the package leaflet.

LEGISLATION

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate. **0321/10068-01/E01-01**.
Delivered by **SATRA (0321)**.

EN420:2003+A1:2009

- Protective gloves
- General requirements for gloves

EN388:2016



2.1.4.2.X.

- Protective gloves against mechanical risks

PPE CAT. II

Major risks

Retailer stamp