

AUTOMATIC WELDING HELMET DRAGON

Réf. 66795

TECHNICAL SHEET



Lux Optical[®]
WELDING



GENERAL DESCRIPTION AND MATERIALS

- Energy: **Solar cell**
- Variable shades from **9 to 13**
- Slight shade: **4**
- Size of the cell: **110 x 90 mm**
- Size of the view window: **96 x 40 mm**
- **Changing time : 1/16 000 s**
- **2 captors**
- Low amperage TIG rated : 10 A
- Helmet in polyamide/nylon, resistant to high speed particles
- Shade control : external shade control

SPECIFIC ADVANTAGES

- Reacts **very quickly**
- Adjustable helmet
- **Variable shades**
- Delaying time from dark to clear: **variable (0.1 – 1,0s)**

PRINCIPAL APPLICATION FIELDS

- **Electronic welding : MIG;MAG/CO2, Air carbone, TIG, PLASMA**

PACKING

- Individual/box

Weight 540 g

STANDARDIZATION

This welding helmet is in conformity with the model of individual safety equipment which correspond to

CE type examination certificate C5334LUX OPTICAL/R0 for the filtre EN379:2009-07

CE type examination certificate C5158LUX OPTICAL/R0 for the helmet EN175:1997-08

Delivered by **DIN CERTCO (organisme n° 0196)**

