WAISTCOAT YARD 3M

DATE: 28/10/2014







Yellow





Colour	XL
Yellow	70210


General Description / Materials


Material	100% polyester knit fluorescent, 120 g/m²
Closing	Closing by scratch
Bands	Sewn 3M retroreflective bands (1 horizontal tape band around the torso and 1 band over each shoulder)

WAISTCOAT YARD 3M



Packaging & Storing





Always transport and store in the original packaging. Store in a dry place, away from direct sunbeam.

1 Piece per Polybag

Product Standards

This waistcoat is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate n° 6216 (Issue 3).

Delivered by SATRA (notified body n° 0321)

EN 20471:2013 Class 2



Surface material = 2/3



This model is in conformity with the standard EN 340

Washing instructions:

25 possible washing



General Norms Explanation

EN 20471:2013

High-visibility warning Clothing for professional use



- Class 1: Minimum level of protection (0.14 m² fluorescent material, 0.10 m² retro reflective material)
- Class 2: Intermediate level of protection (0.5 m² fluorescent material ,0.13 m² retro reflective material)
- Class 3: Highest level of protection (0.8 m² fluorescent material, 0.2 m² retro reflective material)

EN 340:2003


Protective clothing - General requirements

- Ergonomics
- Innocuousness
- Size designation
- Ageing

 $C \in$

- Compatibility and marking of protective clothing and
- The information to be supplied by the manufacturer with the protective clothing

EN 342: 2004 EN 343: 2003 EN 14058: 2004



- A: Basic resulting insulation
- B: Resulting thermal insulation
- C: Air permeability (3 levels)
- D: Water penetration resistance class (2 levels)



Protective clothing against rain

X: Resistance to water penetration (3 levels) Y: Water vapour resistance -Breathing properties (3 levels)



Protective clothing against cold-Temperature from and above -5°C

- . Thermal resistance class (3 levels)
- B. Air permeability class (3 levels)
- C. Water penetration resistance class (2 levels)
- D. Water vapour resistance
- E. Resulting thermal insulation