




# GUIDED TYPE FALL ARRESTOR ON FLEXIBLE ANCHORAGE LINE

Ref. 71343, 71344

## TECHNICAL SHEET



CE 0120



Ref.	Length
71343	10 metres
71344	20 metres

Gencode :

3435241 713438

3435241 713445

### GENERAL DESCRIPTION AND MATERIALS

- Guided type fall arrestor on flexible anchorage line
- can be open
- hitched on the line
- Rope diameter: 14mm
- Static strength > 15KN

- twisted rope
- 2 spliced and plastic\_coated loops covered with polyethylene protective sleeves
- 1 connector 71110
- Weight : 2400 g (+/-10 g)
- Minimum 6m free space from anchorage point

### SPECIFIC ADVANTAGES

- can be open
- 1 connector

- Strength

### MAIN APPLICATION FIELDS

- Job in high places in combination with a work positioning system
- Attachment between this lanyard and any other equipment or anchorage point shall only be carried out with connectors in accordance with EN 362.

- Construction and civil engineering
- Fall arrestor moves along with the user climbing up or down and locks him in case of a fall

### PACKAGING

- Individual packing

- Carton of 10 fall arrestors with 10m rope
- Carton of 5 fall arretsors with 20m ropes

### STANDARDIZATION

This fall arrestor is in conformity with the model of individual safety equipment which correspond to EN 353-2:2002 The CE Type-examination certificate 2664 Issue 2 Extension 2



Delivered by SATRA (notified body n° 0321)

SACLA - Z.I. de Rosarge - 01700 LES ECHETS - MIRIBEL - FRANCE

Tel. : (33) 04 72 26 57 57 - Fax. : (33) 04 72 26 51 70 - Mail : contact@sacla-france.com